FORM B.

Return showing the description and weight of all yarn spun in the Cotton Mills in the Mysore State during the month ending February 1940.

Count of yarn	Weight in pounds of each count	Count of yarn	Weight in pounds of each count	Count of yarn	Weight in pounds of each count
2s	7,716	16½s	7,730	44	10,857
4s	14,707	18s	4,008	50s	1,841
6s	625	19s	164,229		
6½s	47,016	20s	315,006		
8s	24,395	20½s	106,559		
8½s	127,288	21s	114,016		
10½s	149,395	22s	34,330		
11½s	166,252	24s	53,784		
11s	16,560	26s	6,857		
12s	38,916	27s	5,376		
12½s	91,266	28s	10,007		
13s	5,539	30s	37,744		
13½s	8,405	32s	37,794		
14s	30,296	36s	56,753		
14½s	37,047	38s	10,684		
15s	111,492	40s	30,856		
16s	40,775	42s	5,673	Total ...	1,933,794

BANGALORE,
Dated 26th March 1940.

L. MUNISWAMY,
For *Director*.

MYSORE STATE DEPARTMENT OF PUBLIC HEALTH.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE FOR THE WEEK ENDED THURSDAY, MARCH 28, 1940.

A total of 11 attacks with 7 deaths from Plague was returned during the week against 20 attacks with 13 deaths in the previous week. Cities of Bangalore and Mysore and Kolar Gold Field Area continued to remain free from the disease. Comparative figures for the corresponding weeks in 1939 and 1938 were 24 attacks with 18 deaths and 9 attacks with 4 deaths, respectively.

A total of 59 attacks with 7 deaths from Small-pox was reported from three villages in Tarikere Taluk, in Hunsur Town, and from the Cities of Bangalore and Mysore and Kolar Gold Field Area.

The State remained free from Cholera, Influenza and Relapsing Fever.

The total mortality for Bangalore City amounted to 139 (41 in hospitals), representing a calculated death-rate of 32·4 (22·9 excluding hospital deaths) per mille of population as against 32·0 for the corresponding week of last year. Classified according to causes, the deaths numbered—4 under Small-pox, 1 under Malaria, 2 under Typhoid, 3 under other Fevers, 14 under Phthisis, 18 under Dysentery and Diarrhœa and 97 under all other causes. The reported mortality was normal.

During the week, the Civil & Military Station, Bangalore, returned 60 deaths (4 in hospitals), representing a calculated death-rate of 21·0 (19·6 excluding hospital deaths) per mille of population as against 27·3 for the corresponding week of last year. Classified according to causes, the deaths were—Small-pox 2, Broncho-Pneumonia 2, Pneumonia 5, Phthisis 3, Dysentery and Diarrhœa 10, and all other causes 38. The reported mortality was low.

The total mortality for Mysore City was 41 for six days (13 in hospitals), representing a calculated death-rate of 19·4 (13·2 excluding hospital deaths) per mille of population as against 24·6 for the corresponding week of last year. Classified according to causes, the deaths were—Small-pox 2, Malaria 1, Typhoid 1, Phthisis 6, Dysentery and Diarrhœa 1, and all other causes 30. The reported mortality was very low.

There were 45 deaths (6 in hospitals) from all causes in Kolar Gold Field Area equivalent to a calculated death-rate of 28·2 (24·5 excluding hospital deaths) per mille of population as against 30·1 for the corresponding week of last year. Classified according to causes, the deaths numbered—4 under other Fevers, 2 under Phthisis, 7 under Dysentery and Diarrhœa, and 32 under all other causes. The reported mortality was normal.

P. PARTHASARATHY,
Director.

Printed by the Superintendent at the Government Press, Bangalore.